

# Steel strut channel

## Galvanized steel strut channel-slotted



Part No.		Specification		
Steel Galvanized	Hot dip galvanized	Inch(")	Metric (mm)	Thickness (mm)
GS41-15	HS41-15	1-5/8" x 1-5/8"	41 x 41	1.5
GS41-20	HS41-20			2.0
GS41-25	HS41-25			2.5
GS21-15	HS21-15	13/16" x 1-5/8"	41 x 21	1.5
GS21-20	HS21-20			2.0
GS21-25	HS21-25			2.5

## Galvanized steel strut channel-plain



Part No.		Specification		
Steel Galvanized	Hot dip galvanized	Inch(")	Metric (mm)	Thickness (mm)
GP41-15	HP41-15	1-5/8" x 1-5/8"	41 x 41	1.5
GP41-20	HP41-20			2.0
GP41-25	HP41-25			2.5
GP21-15	HP21-15	13/16" x 1-5/8"	41 x 21	1.5
GP21-20	HP21-20			2.0
GP21-25	HP21-25			2.5

# Thread rod & nut

## Steel Thread Rod



Part No.	Specification
STR6-75	1/4"-20UNC X 6FT
STR6-95	3/8"-16UNC X 6FT
STR6-50	1/2"-13UNC X 6FT
STR10-75	1/4"-20UNC X 10FT
STR10-95	3/8"-16UNC X 10FT
STR10-50	1/2"-13UNC X 10FT



## Spring Nut

Part No.	Specification
SN6	M6×34.5×19×6
SN8	M8×34.5×19×8
SN10	M10×34.5×19×9.2
SN12	M12×34.5×19×12
SN16	M16×34.5×19×28×12

# Conduit Hanger



The Body of  
one piece strut hanger

**Use:**

The Body of one piece strut hanger are used to secure and suspend EMT, Rigid, IMC and PVC Conduits and conduit channel from overhead supports.

With Carriage Bolt and Nut Attached

**Materials :**

Stamped Steel

**Finish :**

Zinc Plated

**Standards :**

UL 2239

CSA C22.2 No. 18

**Certification:**

UL/CUL

Part No.	Size
OPSC-050	1/2"
OPSC-075	3/4"
OPSC-100	1"
OPSC-125	1-1/4"
OPSC-150	1-1/2"
OPSC-200	2"
OPSC-250	2-1/2"
OPSC-300	3"
OPSC-350	3-1/2"
OPSC-400	4"



**Use:**

Conduit hangers are used to secure and suspend EMT, Rigid, IMC and PVC Conduits from overhead supports.

With Carriage Bolt and Nut Attached

**Materials :**

Stamped Steel

**Finish :**

Zinc Plated

**Standards :**

UL 2239

CSA C22.2 No. 18

**Certification:**

UL/CUL

Part No.	Size	
CH-050	#0	1/2"
CH-075	#1	3/4"
CH-100	#2	1"
CH-125	#2-1/2	1-1/4"
CH-125A	#3	1 1/4h.w.11/2emt
CH-150	#4	1-1/2"
CH-200	#5	2"
CH-250	#6	2-1/2"
CH-300	#7	3"
CH-350	#8	3-1/2"
CH-510	#9	4"

## Conduit Hangers



**Use:**

"One size fits both EMT conduit and Rigid pipe sizes One-piece break "apart design includes captive combo head machine screw and built-in nut (thread impression)

**Surface finish:**

zinc plated

**Materials:**

steel

**Certification:**

UL/CUL

Universal Strut Clamps  
for RMC and EMT

Part No.	Size
STC-050	1/2"
STC-075	3/4"
STC-100	1"
STC-125	1-1/4"
STC-150	1-1/2"
STC-200	2"
STC-250	2-1/2"
STC-300	3"
STC-350	3-1/2"
STC-400	4"

# Swivel Clevis hanger



## Swivel Band Hanger

### General Properties

- Used for freely hanging of horizontal pipe lines
- Used for sprinkler system installations
- Used for fire extinguishing systems
- Height adjustment through threaded rods
- Electro galvanized for corrosion resistance (Plating thickness 8-10 micron)
- UL Listed

Part No.	Size	Rod Size		Max Load lbs	Width&Thick mm
SBH-050	1/2"	3/8"	M10	300	16*1.2
SBH-075	3/4"	3/8"	M10	300	16*1.2
SBH-100	1"	3/8"	M10	300	16*1.2
SBH-125	1-1/4"	3/8"	M10	300	16*1.2
SBH-150	1-1/2"	3/8"	M10	300	16*1.2
SBH-200	2"	3/8"	M10	300	16*1.2
SBH-250	2-1/2"	3/8"	M10	600	16*1.2
SBH-300	3"	3/8"	M10	600	22*1.5
SBH-350	3-1/2"	3/8"	M10	600	22*1.5
SBH-400	4"	3/8"	M10	1000	22*1.5
SBH-500	5"	1/2"	M12	1000	22*1.5
SBH-600	6"	1/2"	M12	1200	22*1.5
SBH-800	8"	1/2"	M12	1200	19*2.5
					19*2.5
					19*2.5

## Light Duty Clevis Hanger



**Finishes** Zinc Plated

**Materials** Carbon Steel

**Approvals** UL

**Recommended** Recommended for the suspension of non-insulated stationary pipe lines allowing for vertical adjustment.

**Maximum temperatures** Bare Metal 650°F Galvanized & Epoxy 450°F

Part No.	Size	Max Load lbs	Packing pcs
LDCH-050	1/2"	250	100
LDCH-075	3/4"	250	100
LDCH-100	1"	250	100
LDCH-125	1-1/4"	250	100
LDCH-150	1-1/2"	250	100
LDCH-200	2"	250	100
LDCH-250	2-1/2"	350	50
LDCH-300	3"	350	25
LDCH-350	3-1/2"	350	25
LDCH-400	4"	400	25

# Conduit Clamp

## Ground Clamp---Bronze



Part No	Size
GCA-50	1/2"~1"
GCA-125	1-1/4"~2"
GCA-250	2-1/2"~4"



## Ground Clamp---Zinc

Part No	Size
GCE-50	1/2"~1"

## Copper Ground Rod Clamp



Part No	Size
GRC-12	1/2"
GRC-34	3/4"
GRC-58	5/8"

## Split Bolt Connector



Part No	Size
SBC10	T/J10
SBC16	T/J16
SBC25	T/J25
SBC35	T/J35
SBC50	T/J50-70
SBC90	T/J90-120
SBC150	T/J150-185

# Conduit Clamp



MI Beam Clamp

Part No	Size
BC-1420	1/4"-20
BC-3816	3/8"-16



MI Beam Clamp

Part No	Size
MBC-1420	1/4"-20
MBC-3816	1/4"-38
MBC-1213	1/2"-13



MI Beam Clamp

Part No	Size
SBCE-1	M8
SBCE-2	M10
SBCE-3	M12



MI Beam Clamp

Part No	Size
SBCD-1	M8
SBCD-2	M10



Right Angle Clamp

Part No.	Size
RAC-050	1/2"
RAC-075	3/4"
RAC-100	1"
RAC-125	1-1/4"
RAC-150	1-1/2"
RAC-200	2"
RAC-250	2-1/2"
RAC-300	3"
RAC-350	3-1/2"
RAC-400	4"

**Use:**

Beam clamps are used on a beam, girder or other similar structure to provide a mounting base for conduit hangers.

## Galvanized Perforated strap

**Material:**

24 Gauge Copper  
24/28 Gauge Galvanized Steel

**Safe Work Load:**

Copper Strap= 70 lbs.  
Galvanized Strap = 46 lbs.

**Use:**

The metal hanger Strap provides a fast and economical method for hanging pipes. It can be used as a pipe hanger, conduit and duct hanger, tubing strap, utility strap and more.

**Precautions:**

Ensure proper spacing requirements for piping support. Read cautions and directions on packages carefully before using the product.  
KEEP OUT OF REACH OF CHILDREN.



ItemNo	Description	Pack
MHS-1	3/4" x 10' Copper Plated Steel Hanger Strap – 24 Gauge (bagged)	12
MHS-2	3/4" x 10' Copper Plated Steel Hanger Strap – 24 Gauge (bulk)	50
MHS-3	3/4" x 10' Galvanized Hanger Strap – 24 Gauge (bagged)	50
MHS-4	3/4" x 10' Galvanized Hanger Strap – 24 Gauge (bagged)	12
MHS-5	3/4" x 10' Galvanized Hanger Strap – 24 Gauge (boxed)	50
MHS-6	3/4" x 10' Galvanized Hanger Strap – 28 Gauge (bagged)	12
MHS-7	3/4" x 10' Galvanized Hanger Strap – 28 Gauge (bagged)	50
MHS-8	3/4" x 25' Galvanized Hanger Strap – 28 Gauge (bagged)	12
MHS-9	3/4" x 10' Galvanized Hanger Strap – 28 Gauge (boxed)	50
MHS-10	3/4" x 50' Galvanized Hanger Strap – 28 Gauge (boxed)	10
MHS-11	3/4" x 100' Galvanized Hanger Strap – 28 Gauge (boxed)	10



## U bolts

Part No.	Size
UB-050	1/2"
UB-075	3/4"
UB-100	1"
UB-125	1-1/4"
UB-150	1-1/2"
UB-200	2"
UB-250	2-1/2"
UB-300	3"
UB-400	4"



## Copper Bonded Grounding Rod

Part No.	Size
CGR-50	1/2"
CGR-58	5/8"
CGR-75	3/4"

# Chains



Single Jack Chain

10GA & 12GA

**Material:**

stainless steel & galvanized steel

Part No.	Size
JC-50	50"
JC-100	100"
JC-1000	1000"




Standard Chain 3/8"

**Material:**

stainless steel & galvanized steel

PART NO.	SIZE
LC-50	50"



Fixture Chain


12GA Fixture Chain

**Material:**

stainless steel & galvanized steel

Part No.	Size
FC-300	300"

S hook



Used to attach cable or chain to equipment.

**Material:**

stainless steel & galvanized steel

Part No.	Specification (Inch)			
	A	B	C	D
HK-01	1.37"	1/8"	0.18"	0.43"
HK-02	1.56"	5/32"	0.18"	0.50"
HK-03	1.81"	3/16"	0.31"	0.62"
HK-04	2.06"	1/4"	0.31"	0.68"
HK-05	2.5"	5/16"	0.5"	0.75"





**Use:**

Safety plates are used to protect cable insulation from nail punctures in wooden structures.



**Use:**

Nail straps are used to secure steel EMT Conduit to wooden structure members. Can be used in place of one or two hole straps.

**Materials :**

Stamped Steel


**Finish :**

Zinc Plated



**Use:**

used to secure Nonmetallic Sheathed and Underground Feeder Cables to wooden Structures.



## Steel Safety Plate

Specification		Weight
1-1/2*3"	16 Gauge	31.75 g
2*5"	16 Gauge	77.11 g
3*1-1/2"	16 Gauge	36.29 g
3*1-1/2"	16 Gauge	68.04 g
12*1-1/2"	14 Gauge	131.54 g
18*1-1/2"	14 Gauge	213.19 g
2-1/2*1-1/2"	16 Gauge	27.22 g

## Nail Straps

Part No.	Size
DS1	1/2"
DS2	3/4"
DS3	1"

## Plastic Cable Staples

Part No.	Size
PS1	1/2"
PS2	3/4"
PS3	1"

## Steel Cable Staples

Part No.	Size
MS5010	1/2"X 1"
MS1216	11/4"X9/16"
MS1005	13/16"X9/16"

# Conduit Accessories



**Material:**  
Steel  
**Finish:**  
Blue insulated

## Blue Steel Insulated Staples

Part No.	Size
BLS50	1/2"
BLS916	9X16"
BLS1050	1"X1/2"
BLS1150	1 1/2"X 1/2"



**Material:**  
Malleable iron / aluminum / steel

## EMT bender

Part No.			Size
MEB50	AEB50	SEB50	1/2"
MEB75	AEB75	SEB75	3/4"
MEB100	AEB100	SEB100	1"



**Material:**  
Aluminum

## Aluminum Lug

Part No.	Size
AG12	AWG#14-4
AG10	AWG#1/0-14



**Materials :**  
Malleabl iron  
**Finish :**  
Zinc Plated

## Countersunk Plug

Part No.	Size
MCG50	1/2"
MCG75	3/4"
MCG100	1"
MCG125	1-1/4"
MCG150	1-1/2"
MCG200	2"